A global biodiversity observing system to unite monitoring and guide action

Andrew Gonzalez, Petteri Vihervaara, Patricia Balvanera, Amanda E. Bates, Elisa Bayraktarov, Peter J. Bellingham, Andreas Bruder, Jillian Campbell, Michael D. Catchen, Jeannine Cavender-Bares, Jonathan Chase, Nicholas Coops, Mark J. Costello, Bálint Czúcz, Aurélie Delavaud, Maria Dornelas, Grégoire Dubois, Emmett J. Duffy, Hilde Eggermont, Miguel Fernandez, Nestor Fernandez, Simon Ferrier, Gary N. Geller, Michael Gill, Dominique Gravel, Carlos A. Guerra. Robert Guralnick, Michael Harfoot, Tim Hirsch, Sean Hoban, Alice C. Hughes, Wim Hugo, Margaret E. Hunter, Forest Isbell, Walter Jetz, Norbert Juergens, W. Daniel Kissling, Cornelia B. Krug, Peter Kullberg, Yvan Le Bras, Brian Leung, Maria Cecilia Londoño-Murcia, Jean-Michel Lord, Michel Loreau, Amy Luers, Keping Ma, Anna J. MacDonald, Joachim Maes, Melodie McGeoch, Jean Baptiste Mihoub, Katie L. Millette, Zsolt Molnar, Enrique Montes, Akira S. Mori, Frank E. Muller-Karger, Hiroyuki Muraoka, Masahiro Nakaoka, Laetitia Navarro, Tim Newbold, Aidin Niamir, David Obura, Mary O'Connor, Marc Paganini, Dominique Pelletier, Henrique Pereira, Timothée Poisot, Laura J. Pollock, Andy Purvis, Adriana Radulovici, Duccio Rocchini, Claudia Roeoesli, Michael Schaepman, Gabriela Schaepman-Strub, Dirk S. Schmeller, Ute Schmiedel, Fabian D. Schneider, Mangal Man Shakya, Andrew Skidmore, Andrew L. Skowno, Yayioi Takeuchi, Mao-Ning Tuanmu, Eren Turak, Woody Turner, Mark C. Urban, Nicolás Urbina-Cardona, Ruben Valbuena, Anton Van de Putte, Basile van Havre, Vladimir Ruslan Wingate, **Elaine Wright & Carlos Zambrana Torrelio**

The rate and extent of global biodiversity change is surpassing our ability to measure, monitor and forecast trends. We propose an interconnected worldwide system of observation networks — a global biodiversity observing system (GBiOS) — to coordinate monitoring worldwide and inform action to reach international biodiversity targets.

The Kunming-Montreal Global Biodiversity Framework (KM-GBF) provides a vision for living in harmony with nature that will have lasting benefits for humanity¹. Attaining this vision will require ambitious and rapid action to address the drivers of biodiversity loss and improve conservation action to avoid the great social and economic costs of ecosystem degradation². This will require understanding where, why and how fast biodiversity is changing — something we have limited knowledge of today for much of the planet.

An essential part of the KM-GBF is its monitoring framework (as outlined in COP decision 15/5), which includes a set of indicators that will be used by nations to monitor and report their progress toward the framework's targets and goals. The indicators track actions and policies that implement the framework (such as the establishment of protected areas) and those that reduce the drivers of biodiversity loss (for example, pollution abatement). The indicators rely on monitoring

to measure the outcomes for nature and people over time (for example, measures of ecosystem-service provisioning) and the risks of losing the benefits that we get from nature. Aggregation of the indicators at the national level can provide insight into progress at regional and global levels.

Disparities among nations in the access and use of biodiversity observations and knowledge³ means that the global community is not adequately equipped to meet the information requirements of the monitoring framework: to monitor the drivers of biodiversity loss and track species and ecosystem recovery and restoration, as well as assess the risks of losing the many benefits that we get from nature.

To address this gap, we — as members of the Group on Earth Observations Biodiversity Observation Network (GEO BON) and its partner institutions — propose the establishment of a global biodiversity observing system (GBiOS) to initially interlink existing capacities and organizations to monitor how, where and why biodiversity is changing $^{4.5}$, and to progressively grow to guide the action needed to realize the targets and goals of the KM-GBF 2 .

Biodiversity observations at the science-policy interface

To achieve the goals of the KM-GBF, we have identified four key components to bridge science and policy: (1) biodiversity observations guided by policy needs; (2) observations coordinated to form monitoring programmes designed to rapidly detect change and attribute causes for biodiversity change $^{\circ}$; (3) observations that inform models to project biodiversity change and the loss of ecological and evolutionary resilience 7 ; and (4) frequent assessments derived from monitoring to

Check for updates

provide policy options to guide action⁸. Currently, the international biodiversity science–policy interface lacks all four of these components, and so the delivery of policy-relevant knowledge about biodiversity change is slow relative to the timeline set out by the KM-GBF.

The weather forecasting and climate assessment communities have had all these components that provision scientific knowledge to policy action for several decades. This includes daily weather forecasting, the Intergovernmental Panel on Climate Change (IPCC) created by the World Meteorological Organization (WMO) for scientific climate assessments, and the Global Observing System (GOS) to organize the international and interagency long-term strategies for operational collection of climate-relevant observations at multiple scales.

In 2012, the nations of the world established the Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services (IPBES) — a mechanism to strengthen the foundations of knowledge for policy setting through scientific assessments⁸. However, a system such as a GBiOS to complement IPBES, as GOS does for the IPCC, does not exist.

Emulating the Global Climate Observing System

We see a GBiOS as resembling the model of the WMO's Integrated Global Observation System (WIGOS), which integrates observations made by the national climate networks of the GOS, and the Global Climate Observing System (GCOS), which maintains definitions of essential climate variables that are required to systematically assess the status and trends of global climate. These systems were established to support the United Nations Framework Convention on Climate Change (UNFCCC)'s Paris Climate Agreement; they are a remarkable example of international collaboration and enable billions of observations to be made and exchanged every day. The WIGOS is not a single, centrally managed observing system. Rather, it is a composite and federated 'system of systems' that is linked via a set of climate-relevant observing, data-management and distribution systems and information services.

A GBiOS would provide a similar service for biodiversity by connecting existing data repositories and networks for observations of biodiversity and its drivers. National biodiversity observation networks (BONs) (Box 1) will be key units that make up a GBiOS, just as national weather agencies and climate observing networks are key units in the WIGOS. As with WIGOS, a GBiOS would ensure that biodiversity observations — along with data on drivers of biodiversity change — are updated frequently and available in standardized, interoperable, accurate and representative forms. The system would abide by FAIR (findable, accessible, interoperable and reusable) and CARE (collective benefit, authority to control, responsibility and ethics) data principles, and ensure that Indigenous peoples and local communities can exercise free, prior informed consent for data access.

Five critical issues that a GBiOS can address

A GBiOS can address five critical issues to support the monitoring framework and actions needed to meet the targets of the KM-GBF (as also discussed by the Expert Workshop on the Monitoring Framework for the Post-2020 Global Biodiversity Framework):

 Gaps, biases, and standards in biodiversity data. A GBiOS would focus on addressing the gaps in the taxonomic and geographical coverage of biodiversity monitoring, both by mobilizing existing data and by creating consistent approaches for monitoring going forward. Data repositories such as the Global Biodiversity Information Facility (GBIF) and the Ocean Biodiversity Information System (OBIS) and databases such as BioTime¹⁰ and PREDICTS¹¹

BOX 1

What is a BON?

A BON is a network of observation sites or stations and a network of groups who produce and use biodiversity data across these sites for different needs. A BON coordinates observations and monitoring to support policy and environmental legislation prompting conservation action from national biodiversity strategies and action plans. Guidelines for network establishment are publicly available and describe how to create an 'enabling environment' that assembles the partnerships, human capacity and scientific infrastructure needed to build a BON.

A BON can be national, subnational or regional in its level of operation and can cover different biomes (for example, marine or freshwater) and dimensions of biodiversity (such as genetics, species and ecosystems) to fill specific knowledge gaps (Supplementary Table 1). These needs have been recognized by the formation of marine, freshwater, soil and omic BONs. GEO BON has developed an essential biodiversity and ecosystem variables framework as a rigorous and transparent basis for monitoring trends in different facets of biodiversity across BONs^{13,14,20}. EBV data layers are available from the EBV Data Portal. GEO BON also offers 'BON-in-a-Box', a knowledge platform that facilitates BON design and implementation.

Some regional networks already exist that represent collaborations among national BONs. These include the Asia Pacific BON and the European network (EuropaBON). A GBiOS can be assembled as a network of national and regional networks⁴.

are the basis for progress but are not representative in their taxonomic and geographical coverage of the Earth's biodiversity (Supplementary Fig. 1). For example, occurrence records in GBIF and the OBIS cover less than 7% of the world's surface at 5-km resolution, and less than 1% for most taxa at higher resolutions and remain insufficient for informing about species status and trends¹² (Supplementary Fig. 1). These major data gaps were highlighted in the appendix 4 of the Summary for Policymakers of the IPBES Global Assessment of Biodiversity and Ecosystem Services. A GBiOS would contribute to these databases and services by formally linking them to monitoring worldwide.

Information for indicators. A GBiOS would provide data and information needed to assess progress towards KM-GBF's goal A and goal B on halting extinctions and sustainably managing biodiversity and ecosystem benefits, respectively. Biodiversity observations compiled by a GBiOS can be used to estimate essential biodiversity variables (EBVs)13,14 and essential ecosystem service variables (EESV)¹⁵. These essential variables underpin many of the indicators for goals A and B and many of the associated targets (for example, targets 2, 3, 4, 6, 11, 12, 19.2 and 20). The common use of EBVs and EESVs enables a harmonization of datasets collected by different governmental and nongovernmental organizations across a BON so that they can be compared and combined for different purposes, including the calculation of indicators, models of biodiversity change and assessment tools such as ecosystem accounts under the UN System of Environmental Economic Accounting (UN SEEA).




Fig. 1 | A GBiOS as a global network of interconnected national and regional BONs to assess biodiversity trends worldwide. a, Countries without a national BON can establish and implement one following the multistep process identified by GEO BON^{17} . b, Each national BON (Colombia is shown as an example) follows harmonized methods and coordinated activities for biodiversity observations, data curation and sharing, trend detection and attribution, modelling, and

policy-decision support that forms a BON service. **c**, In the proposed GBiOS, national and regional BONs (circles) form an international network that shares technologies, data (for example, via a Global Open Science Cloud) and information about biodiversity trends (EBVs and EESVs) and ecological events, and in so doing enables the global community to make rapid multiscale assessments of progress towards international biodiversity targets and goals.

- 3. Understand biodiversity change across scales. The actions needed to achieve the targets of the KM-GBF can be supported by monitoring the drivers for trend attribution and forecasting change over different scales⁶. Some drivers may be observed directly with biodiversity observations (such as invasive species occurrence and impact) but information about other drivers (such as climate, pollution and land use change) will require coordination with other observation networks to understand and project how drivers interact to cause biodiversity change.
- 4. Capacity and technologies. A GBiOS can be used to assess where data gaps exist and guide the strategic implementation of monitoring technologies for observation (for example, site-based observations and remote sensing), rapid classification, data assimilation for causal inference, and prediction to support action^{6,7}. New data and monitoring standards that enable rapid updates of EBVs and EESVs would be available to national and subnational governments. This gap-filling process could support target 20 of the KM-GBF prompting strategic investment in capacity-building, regional biodiversity observing technologies, data collection and curation services, and international cooperation (south–south, north–south and triangular cooperation) to share tools and knowledge for areas that need them most.
- Engagement across all sectors and knowledge systems. The task
 of building and maintaining a GBiOS is by design broadly collaborative, engaging national, subnational and local governments
 and Indigenous peoples and local communities, academic researchers, curators of biological collections, nongovernmental

organizations, businesses and the financial sector. Broad engagement can foster the mainstreaming of biodiversity information into decisions across all sectors of society¹⁶. Each sector has specific needs for biodiversity observations so the design and implementation of a GBiOS should reflect the broad range of uses and decisions it will support and provide consistent and standardized time-series data with baselines and reference conditions across ecosystems.

A federated network of BONs

Over the past decade, GEO BON has supported and endorsed the establishment of BONs that are designed to help national and subnational governments to monitor biodiversity (Fig. 1). As a growing international network of about 2,600 members who span 141 countries, GEO BON would convene the expertise needed to inform and support the establishment of a GBiOS. Further, GEO BON has been endorsed by Parties to the Convention on Biological Diversity — most recently through an invitation to support the operationalization of the monitoring framework of the KM-GBF (as described in CBD COP decision 15/5).

A GBiOS would assemble an intercommunicating system of BONs and other monitoring programmes⁴. In a first phase, a GBiOS could be established immediately as a globally coordinated network of BONs (Fig. 1); this first phase would develop a collective assessment of our current capacity to observe biodiversity and ecosystem trends, with the needs to improve it including human capacity and technologies for observations and data sharing and analysis¹⁷.

BONs can be designed to support national biodiversity strategies and action plans to guide action by parties under the KM-GBF. BONs support long-term research sites and stations conducting observations from the ground, air, water or space^{18,19}. BON development may involve investment in additional monitoring capacity at new and existing sites to reduce data gaps. The addition of new sites to the BON can reduce uncertainty in trend detection and improve understanding of biodiversity change locally and nationally, as well as contribute information for regional and global assessments. Other sites may be chosen to acquire the information to improve models for forecasts projecting future changes in biodiversity⁷. Research centres working with BONs will provide services for supporting the use and sharing of data, trend assessments, and predictive modelling to guide decisions for conservation and spatial planning.

Next steps

Several next steps are needed to establish the governance model, funding, the deployment of technologies and other resource needs, and investment in careers to support GBiOS activities in the long term.

Co-sponsorship and governance. A proposal for a governance model should be elaborated, along with identification of the partner organizations — from both the public and private sectors — that can co-sponsor a GBiOS. One option is to follow the solution taken by the GCOS, which is co-sponsored by several intergovernmental organizations: the WMO, the Intergovernmental Oceanographic Commission of the United Nations Educational, Scientific and Cultural Organization, the United Nations Environment Programme and the International Science Council.

Assessment of resource needs and added value. At this point, an assessment of the technical and financial investment is needed. This includes the necessary technologies and data infrastructure (including existing large repositories such as GBIF, OBIS and Gen-Bank) needed to support long-term monitoring and make the data available in a secure manner; mechanisms for governance and financing; and the existing national and regional BON components that can be integrated to form the first phase of the GBiOS implementation. This assessment would include the knowledge and capacity needs, and the economic costs and benefits (return on investment) that may arise from an initial investment in a GBiOS, followed by alternative pathways for progressive development of its capacity by 2030 and beyond.

Funding a GBiOS for the long term. A long-term funding model could help to support nations with the establishment of their BONs, to conduct standardized biodiversity monitoring and publish data into national and international data repositories (for example, GBIF and OBIS) within weeks to months. An integrated system of observations for biodiversity will connect to observing systems for climate and other human drivers and pressures. One way to fund a GBiOS would be through a UN coalition fund, similar to the Systematic Observations Financing Facility (SOFF) for GCOS. Data from the GBiOS would support ecosystem accounts under the UN SEEA ecosystem accounting framework and guide investments to create local social and economic benefits for the global public good. Global data production and exchange could be an important measure of success, along with use by the private sector for financial disclosures and impact assessments. A SOFF for the GBiOS could contribute to strengthening societal adaptation and

resilience across the globe, benefitting the most vulnerable peoples and countries.

A GBiOS would be a missing piece of the science–policy puzzle needed to support the realization of the KM-GBF, the Sustainable Development Goals and other multilateral environmental agreements and protocols. The global community is increasingly aware of the great benefits that society receives from biologically diverse and resilient ecosystems. A GBiOS could contribute to a representative and inclusive understanding of biodiversity change and thereby support effective implementation of policies that are designed to reverse biodiversity loss and achieve the global goals for nature in the coming decades.

Andrew Gonzalez 1, Petteri Vihervaara 2, Patricia Balvanera 3, Amanda E. Bates4, Elisa Bayraktarov5, Peter J. Bellingham 6, Andreas Bruder 7, Jillian Campbell8, Michael D. Catchen 1, Jeannine Cavender-Bares 9, Jonathan Chase 10,11, Nicholas Coops 12, Mark J. Costello 13, Bálint Czúcz¹⁴, Aurélie Delavaud¹⁵, Maria Dornelas D ^{16,17}, Grégoire Dubois **1**⁸, Emmett J. Duffy **1**⁹, Hilde Eggermont **1**²⁰, Miguel Fernandez^{21,22}, Nestor Fernandez^{10,11}, Simon Ferrier²³, Gary N. Geller © 24, Michael Gill © 25, Dominique Gravel © 26, Carlos A. Guerra 10,27, Robert Guralnick, Michael Harfoot, Tim Hirsch³⁰, Sean Hoban ³¹, Alice C. Hughes ³², Wim Hugo³³, Margaret E. Hunter 1 34, Forest Isbell 1 9, Walter Jetz 1 35, Norbert Juergens ³⁶, W. Daniel Kissling ³⁷, Cornelia B. Krug³⁸, Peter Kullberg³⁹, Yvan Le Bras⁴⁰, Brian Leung 10, Maria Cecilia Londoño-Murcia (10 41), Jean-Michel Lord (10 42), Michel Loreau⁴³, Amy Luers⁴⁴, Keping Ma ⁶ ⁴⁵, Anna J. MacDonald 46, Joachim Maes 47, Melodie McGeoch 48, Jean Baptiste Mihoub⁴⁹, Katie L. Millette ⁶ ⁴², Zsolt Molnar⁵⁰, Enrique Montes^{51,52}, Akira S. Mori © ⁵³, Frank E. Muller-Karger © ⁵⁴, Hiroyuki Muraoka^{55,56}, Masahiro Nakaoka⁵⁷, Laetitia Navarro ⁶⁵⁸, Tim Newbold $oldsymbol{\mathbb{O}}^{59}$, Aidin Niamir $oldsymbol{\mathbb{O}}^{60}$, David Obura $oldsymbol{\mathbb{O}}^{61}$, Mary O'Connor⁶², Marc Paganini⁶³, Dominique Pelletier⁶⁴, Henrique Pereira 10,65, Timothée Poisot66, Laura J. Pollock 1. Andy Purvis Adriana Radulovici 2. Duccio Rocchini 569. Claudia Roeoesli70, Michael Schaepman70, Gabriela Schaepman-Strub 10 71, Dirk S. Schmeller 10 72, Ute Schmiedel $^{\circ}$ 36, Fabian D. Schneider²⁴, Mangal Man Shakya⁷³, Andrew Skidmore 10⁷⁴, Andrew L. Skowno^{75,76}, Yayioi Takeuchi⁵⁶, Mao-Ning Tuanmu ⁷⁷, Eren Turak ⁷⁸, Woody Turner⁷⁹, Mark C. Urban 600, Nicolás Urbina-Cardona 6001, Ruben Valbuena 182, Anton Van de Putte 83,84, Basile van Havre 185, Vladimir Ruslan Wingate⁸⁶, Elaine Wright ® ⁸⁷ & Carlos Zambrana Torrelio88

¹Department of Biology, Group on Earth Observations Biodiversity Observation Network, McGill University, Montreal, Quebec, Canada. ²Finnish Environment Institute, Helsinki, Finland. ³Instituto de Investigaciones en Ecosistemas y Sustentabilidad (IIES), Universidad Nacional Autónoma de México, Morelia, Mexico. ⁴Biology Department, University of Victoria, Victoria, British Columbia, Canada. ⁵EcoCommons Australia, Research, Specialised and Data Foundations, Griffith University, Nathan, Queensland, Australia. ⁶Manaaki Whenua – Landcare Research, Lincoln, New Zealand. ⁷Institute of Microbiology, University of Applied Sciences and Arts of Southern Switzerland, Mendrisio, Switzerland. ⁸Secretariat of the Convention on Biological Diversity, Montreal, Quebec, Canada. ⁹Department of Ecology, Evolution and Behavior, University of Minnesota, Saint Paul, MN, USA. ¹⁰German Centre for Integrative Biodiversity Research (iDiv)

Halle-Jena-Leipzig, Halle, Germany. 11Department of Computer Sciences, Martin Luther University Halle-Wittenberg, Halle, Germany. ¹²University of British Columbia, Vancouver, British Columbia, Canada. ¹³Faculty of Biosciences and Aquaculture, Nord Universitet, Bodø, Norway. 14 Norwegian Institute for Nature Research (NINA), Trondheim, Norway. ¹⁵Fondation for Research on Biodiversity (FRB), Paris, France. ¹⁶Centre for Biological Diversity, University of St Andrews, St Andrews, UK. ¹⁷Guia Marine Lab, MARE, Faculdade de Ciências da Universidade de Lisboa, Cascais, Portugal. 18 Knowledge Centre for Biodiversity, Joint Research Centre of the European Commission, Ispra, Italy. ¹⁹Tennenbaum Marine Observatories Network and MarineGEO program, Smithsonian Environmental Research Center, Edgewater, MD, USA. ²⁰Belgian Science Policy Office, Belgian Biodiversity Platform/Biodiversa+, Brussels, Belgium. 21German Centre for Integrative Biodiversity Research (iDiv) Halle-Jena-Leipzig, Leipzig, Germany. ²²Environmental Science and Policy, George Mason University, Fairfax, VA, USA. 23 CSIRO Environment, Canberra, Australian Capital Territory, Australia. 24NASA Jet Propulsion Laboratory, California Institute of Technology, Pasadena, CA, USA. ²⁵NatureServe, Arlington, VA, USA. ²⁶Département de biologie, Université de Sherbrooke, Sherbrooke, Quebec, Canada. 27 Department of Biology, University of Leipzig, Leipzig, Germany. 28 Department of Natural History, Florida Museum of Natural History, University of Florida, Gainesville, FL, USA. 29 Vizzuality, Madrid, Spain. 30 Global Biodiversity Information Facility, Copenhagen, Denmark. ³¹The Center for Tree Science, The Morton Arboretum, Lisle, IL, USA. 32School of Biological Sciences, University of Hong Kong, Hong Kong, China. ³³Paarl, South Africa. ³⁴US Geological Survey, Wetland & Aquatic Research Center, Sirenia Project, Gainesville, FL, USA. 35 Department of Ecology and Evolutionary Biology, Center for Biodiversity and Global Change, Yale University, New Haven, CT, USA. 36 Institute of Plant Science and Microbiology, University of Hamburg, Hamburg, Germany. 37 Institute for Biodiversity and Ecosystem Dynamics (IBED), University of Amsterdam, Amsterdam, The Netherlands. 38 bioDISCOVERY, Department of Evolutionary Biology and Environmental Studies, University of Zurich, Zurich, Switzerland. ³⁹Finnish Environment Institute (SYKE), Nature Solutions Unit, Helsinki, Finland. 40 Pôle national de données de biodiversité, PatriNat, Muséum National d'Histoire Naturelle, Station Marine de Concarneau. Concarneau, France. 41 Alexander von Humboldt Biological Resources Research Institute, Bogotá, Colombia. 42The Group on Earth Observations Biodiversity Observation Network (GEO BON), Department of Biology, McGill University, Montreal, Quebec, Canada. ⁴³Theoretical and Experimental Ecology Station, CNRS, Moulis, France. ⁴⁴Microsoft, Redmond, WA, USA. ⁴⁵Institute of Botany, Chinese Academy of Sciences, Beijing, China. 46 Australian Antarctic Division, Department of Climate Change, Energy, the Environment and Water, Kingston, Tasmania, Australia. 47European Commission, Brussels, Belgium. 48 Securing Antarctica's Environmental Future, Department of Environment and Genetics, La Trobe University, Melbourne, Victoria, Australia. 49 Centre d'Écologie et des Sciences de la Conservation (CESCO), Muséum National d'Histoire Naturelle, Sorbonne Université, Centre National de la Recherche Scientifique, CP 135, Paris, France. ⁵⁰Centre for Ecological Research, Institute of Ecology and Botany, Vácrátót, Hungary. 51 Cooperative Institute for Marine and Atmospheric Studies, Rosenstiel School of Marine, Atmospheric, and Earth Science, University of Miami, Miami, Florida, USA. 52Ocean Chemistry and Ecosystems Division, Atlantic Oceanographic and Meteorological Laboratory, National Oceanic and Atmospheric Administration, Miami,

Florida, USA. 53Research Center for Advanced Science and Technology, University of Tokyo, Tokyo, Japan. 54 College of Marine Science, University of South Florida, St Petersburg, FL, USA. 55 River Basin Research Center, Gifu University, Gifu, Japan. ⁵⁶Biodiversity Division, National Institute for Environmental Studies, Tsukuba, Japan. ⁵⁷Akkeshi Marine Station, Field Science Center for Northern Biosphere, Hokkaido University, Hokkaido, Japan. ⁵⁸Estación Biológica de Doñana (EBD-CSIC), Sevilla, Spain, ⁵⁹Centre for Biodiversity and Environment Research, University College London, London, UK. 60 Senckenberg Biodiversity and Climate Research Institute, Frankfurt, Germany. ⁶¹CORDIO East Africa, Mombasa, Kenya. ⁶²Biodiversity Research Centre and Department of Zoology, University of British Columbia, Vancouver, British Columbia, Canada. 63 ESRIN Largo Galileo Galilei, Frascati, Italy. ⁶⁴French Institute for the Exploitation of the Sea (Ifremer), Lorient, France. ⁶⁵Institute of Biology, Martin Luther University Halle-Wittenberg, Halle (Saale), Germany. ⁶⁶Département de Sciences Biologiques, Université de Montréal, Montreal, Quebec, Canada. $^{\rm 67} \mbox{Department}$ of Life Sciences, Natural History Museum, London, UK. $^{68}\mbox{Department}$ of Life Sciences, Imperial College London, Ascot, UK. ⁶⁹Department of Biological, Geological, and Environmental Science, Università di Bologna, Bologna, Italy. ⁷⁰Remote Sensing Laboratories, Department of Geography, University of Zurich, Zurich, Switzerland. ⁷¹Department of Evolutionary Biology and Environmental Studies, University of Zurich, Zurich, Switzerland. 72 Laboratoire écologie fonctionnelle et environnement, Université de Toulouse, INPT, UPS, CNRS, Toulouse, France. ⁷³Wildlife Watch Group, Kathmandu, Nepal. ⁷⁴Faculty of Geo-Information Science and Earth Observation (ITC), University of Twente, Enschede, The Netherlands. ⁷⁵South African National Biodiversity Institute, Kirstenbosch National Botanical Gardens, Cape Town, South Africa. 76 Department of Biological Sciences, University of Cape Town, Cape Town, South Africa. ⁷⁷Thematic Center for Systematics and Biodiversity Informatics, Biodiversity Research Center, Academia Sinica, Taipei, Taiwan. 78 NSW Department of Environment and Planning, Parramatta, New South Wales, Australia. 79 Earth Science Division, NASA Headquarters. Washington, DC, USA, 80 Center of Biological Risk and Department of Ecology and Evolutionary Biology, University of Connecticut, Storrs, CT, USA. 81 Facultad de Estudios Ambientales y Rurales, Departamento de Ecología y Territorio, Pontificia Universidad Javeriana, Bogotá, Colombia. 82 Division of Remote Sensing of Forests, Department of Forest Resource Management, Swedish University of Agricultural Sciences (SLU), Umeå, Sweden. 83 Royal Belgian Institute for Naturalsciences, Brussels, Belgium. 84 Université Libre de Bruxelles, Brussels, Belgium. 85 Environment and Climate Change Canada, Gatineau, Quebec, Canada. 86 Institute of Geography, University of Bern, Bern, Switzerland. 87NZ Department of Conservation, Christchurch, New Zealand. 88 Department of Environmental Science and Policy, George Mason University, Fairfax, VA, USA. ⊠e-mail: andrew.gonzalez@mcgill.ca

Published online: 24 August 2023

References

- Obura, D. et al. One Earth 6, 105–117 (2023).
- 2. Leadley, P. et al. One Earth 5, 597-603 (2022).
- Gonzalez, A. & Londoño, M. C. Science 378, 1147 (2022).
- 4. Scholes, R. J. et al. Curr. Opin. Environ. Sustain. 4, 139–146 (2012).
- 5. Pereira, H. M. & David Cooper, H. Trends Ecol. Evol. 21, 123-129 (2006).
- 6. Gonzalez, A., Chase, J. M. & O'Connor, M. I. Phil. Trans. R. Soc. Lond. B 378, 20220182 (2023)
- Urban, M. C. et al. Science 353, aad8466 (2016).

- IPBES. IPBES (2019): Global Assessment Report on Biodiversity and Ecosystem Services
 of the Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services
 (IPBES, 2019)
- Carroll, S. R., Herczog, E., Hudson, M., Russell, K. & Stall, S. Sci. Data 8, 108 (2021).
- 10. Dornelas, M. et al. Global Ecol. Biog. 27, 760-786 (2018).
- 11. Hudson, L. N. et al. Ecol. Evol. 7, 145-188 (2016).
- 12. Hughes, A. C. et al. *Ecography* **44**, 1259–1269 (2021).
- 13. Pereira, H. M. et al. Science 339, 277-278 (2013).
- 14. Schmeller, D. S. Biol. Res. 93, 55-71 (2018).
- 15. Balvanera, P. et al. Curr. Opin. Environ. Sustain. 54, 101152 (2022).
- 16. Kühl, H. S. et al. One Earth **3**, 462–474 (2020).
- 17. Navarro, L. et al. Curr. Opin. Environ. Sustai. 29, 158-169 (2017).
- 18. Cavender-Bares, J. et al. Nat. Ecol. Evol. 6, 506-519 (2022).
- 19. Bush, A. et al. Nat. Ecol. Evol. 1, 0176 (2017).
- 20. Bellingham, P. J. et al. *Ecol. Sols. & Evid.* **1**, e12025 (2020).

Acknowledgements

To the memory of Bob Scholes who contributed so much to GEO BON and the vision of the GBiOS. A.G. is supported by the Liber Ero Chair in Biodiversity Conservation. Any use of trade, product or firm names is for descriptive purposes only and does not imply endorsement by the United States Government. This research was carried out, in part, at the Jet Propulsion Laboratory, California Institute of Technology, under a contract with the National Aeronautics and Space Administration (80NMO018D0004). The first draft was written and prepared by A.G. All authors have read and commented on the paper.

Competing interests

The authors have no competing interests.

Additional information

Supplementary information The online version contains supplementary material available at https://doi.org/10.1038/s41559-023-02171-0.